OM SURGICAL

HOSPITAL BEDS



OM SURGICAL

ICU Bed Mechanical Fixed Height 3 KEY (ABS Panels)

- Made of rectangular M.S. Tube.
- 4 Section top made of perforated MS sheet.
- Backrest, Knee Rest, TB / RTB Positions manoeured by separae head & foot panels.
- ABS moulded head & foot panels.
- Collapsible safety side railing.
- Telescopic IV Rod with four locations.
- Bed mounted on 125 mm dia castor two with brakes.
- Overall Size : 210 L x 90 W x 60 H cms Approx.
- Finish : Epoxy Powder Coated.

Optional : Mattress 4 Section Extra.



OM SURGICAL

Hospital Fowler Bed (ABS Panels)

- · Frame work made of Rectangular CRC Tube.
- 4 Section top made of perforated M.S. Sheet.
- Backrest, Knee Rest Positions manoeuvred by separate screw from foot end.
- ABS moulded head & foot panels.
- Four locations for IV Rod.
- Bed mounted on 10 cms dia castor two with brakes.
- Overall Size : 206L x 90W x 60H cms Approx.
- Finish : Epoxy Powder Coated
- · Also Available Electrically Operated.
- Optional : Mattress 4 Section Extra.
 - Railing Extra



OM SURGICAL

Hospital Fowler Bed (Sunmica Panels)

- Frame work made of rectangular M.S. Tube.
- 4 Section Top made of perforated M.S. Sheet.
- Back Rest, Knee Rest Positions manoeuvred by Separate screw from foot end.
- Stainless IV Rod with four Locations.
- Bed mounted on 100mm Dia Castor (2 with brakes).
- Overall size 206L x 90W x 60H cms Approx.
- Finish: Epoxy Powder Coated.
- Optional : Mattress 4 Section Extra.
 - Railing Extra

HOSPITAL BEDS



OM SURGICAL

Hospital Semi Fowler Bed (ABS Panels)

- · Frame work made of rectangular M.S. Tube.
- 2 Section Top made of perforated M.S. Sheet.
- Back Rest section manoeuvred by Screw handle from foot end.
- ABS moulded head and foot panels.
- Four Locations for I.V. Rod.
- Overall size 198L x 90W x 60H cms Approx.
- Finish: Epoxy Powder Coated.

Optional : • Mattress 2 Section Extra.



OM SURGICAL

Hospital Semi Fowler Bed (Sunmica Panels)

- Frame work made of rectangular M.S. Tube.
- 2 Section Top made of perforated M.S. Sheet.
- Back Rest section manoeuvred by Screw handle from foot end.
- Stainless Steel tubular Head & Foot bows with laminated Panels.
- Four Locations for LV. Rod.
- Overall size 198L x 90W x 60H cms Approx.
- · Finish: Epoxy Powder Coated.
- Optional: Mattress 2 Section Extra.
 - * Railing Extra * Wheeis Extra



OM SURGICAL

Hospital Fowler Bed (Semi Delux)

- · Frame work made of rectangular Steel Tubes.
- 4 Section Top made of perforated M.S. Sheet with mattress guards.
- Back Rest, Knee Rest Positions manoeuvred by Separate screw from foot end.
- Tubular head and foot bows of unequal height with vertical bar supports.
- Four IV rod Locations.
- · Bed mounted on 100mm Dia Castor (2 with brakes).
- Overall size 206L x 90W x 60H cms Approx.
- · Finish: Epoxy Powder Coated.
- Optional :

 Mattress 4 Section Extra.

HOSPITAL BEDS



OM SURGICAL

Hospital Semi Fowler Bed (Semi Delux)

- Frame work made of rectangular M.S. Tube.
- 2 Section Top made of perforated CRCAMS Sheet.
- Back Rest section manoeuvred by Screw handle from foot end.
- Tubular Head & Foot Bows of unequal height with vertical bars support.
- Locations for Four I.V. Rod.
- Overall size 198L x 90W x 60H cms Approx.
- Finish: Epoxy Powder Coated.
- Optional : * Mattress 2 Section Extra.
 - Railing Extra Wheel Extra.



OM SURGICAL

Hospital Plain Bed Semi Deluxe

- Frame work made of M. S. Tube.
- Tubular Head & Foot Bows of unequal height.
- Locations for Four I.V. Rod.
- Overall size 198L x 90W x 60H cms Approx.
- · Finish: Epoxy Powder Coated.

Optional : Mattress Extra.



OM SURGICAL

Pediatric Bed

- Overall Approx. Dimension : 140 cm (L) x 76 cm (W) x 60cm (H) Approx.
- Frame work made of CRCA rectangular tubes.
- Top made of CRCA perforated Sheet.
- Full length drop side rails on both sides.
- Finish : Epoxy Powder Coated.

Optional : Mattress Extra.

HOSPITAL BEDS



OM SURGICAL

ICU Bed Electric (Abs Panels & Abs Ralling)

- Frame work made of rectangular M.S. Tube.
- 4 Section top made of perforated MS Sheet.
- Backrest, Knee Rest Trendlenburg / Reverse Trendlenburg and Hi-Low Positions obtained by Electric Actuator operated by hand remote system.
- ABS moulded head & foot panels.
- ABS tuck away safety side railing.
- · Telescopic IV Rod with Two locations.
- Bed mounted on 125 mm dia castor two with brakes.
- Overall Size : 210 L x 90 W x 60-80 H cms Approx.
- Finish : Epoxy Powder Coated.

Optional : Mattress 4 Section Extra.



OM SURGICAL

ICU Bed Electric (ABS Panels)

- Frame work made of rectangular M.S. Tube.
- Perforated CRC Sheet top in four sections.
- Backrest, Knee Rest Trendlenburg / Reverse Trendlenburg and Hi-Lo Positions obtained by Electric Actuator operated by hand remote system.
- ABS moulded head & foot panels.
- Collapsible type safety side railings : SS horizontal tubes aluminium alloy / fixed with brackets Easily detachable.
- Telescopic IV Rod with four locations.
- Bed mounted on 125 mm dia castors-two with brakes.
- Overall Size : 210 L x 90 W x 60-80 H cms Approx.
- Finish : Epoxy Powder Coated.

Optional : Mattress 4 Section Extra.



OM SURGICAL

ICU Bed Mechanical (ABS Panels)

- Frame work made of retangular M.S. Tube.
- 4 Section top made of perforated MS Sheet.
- Backrest, Knee Rest, TB / RTB Positions manoeuvred by separate screw from foot end.
- ABS moulded head & foot railing.
- Collapsible Side Railing.
- Telescopic IV Rod with four locations.
- Bed mounted on 125 mm dia castor two with brakes.
- Overall Size : 210 L x 90 W x 60 H cms Approx.
- Finish : Epoxy Powder Coated.

Optional : Mattress 4 Section Extra.

LABORATORY, PATHOLOGICAL EQUIPMENTS



OM SURGICAL Auto Hematology Analyser



OM SURGICAL Semi Auto Chemistry Analyser



OM SURGICAL Doctor Centrifuges REMI

General Purpose Laboratory Centrifuges REMI

Vision 2000 Microscope Laborned







WARD, O.T. EQUIPMENT



WARD, O.T. EQUIPMENT





Revolving Stool 4 Leg



OM SURGICAL Bed Side Locker Deluxe with Drawer



Bed Side Locker S.S. Top



www.omsurgicalcompany.com

O.T LED LIGHTS

OM SURGICAL

LED OT light Stand Model

Memory Function, High quality sterilizable handle, With protective fire resistant ESG safety glass for scratch proof, fast disinfection process, protects UV and IR rays and Improve light penetration. With special European design for ventilation of heat. Body is made of high quality fire resistant polymer.



O.T LIGHTS









OM SURGICAL

COMPANY

O.T LIGHTS

OM SURGICAL

LED Ceiling Light 4+3

Memory Function, High quality sterilizable handle. With protective fire resistant ESG safety glass for scratch proof, fast disinfection process. protects UV and IR rays and improve light penetration. With special European design for ventilation of heat. Body is made of high quality fire resistant polymer.



Colour Temperature Colour Reduction Index LED Life Number of LED

: 4000-5000 K : 93 RA : >50000 Hrs. : 57 + 76

- Power Supply Focusing Battery Backup
- : 220V/50Hz AC : Adjustable : Optional





O.T TABLES





O.T TABLES



OMSURGICAL

PHYSIOTHERAPY UNIT



OM SURGICAL

Tens 4 Channels Digital



COM SURGICAL Laser Therapy Unit

OM SURGICAL Interferential Therapy Unit



Shortwave Diathermy 500 Watt



PHYSIOTHERAPY UNIT



OM SURGICAL

PHOTOTHERAPY UNIT





AUTOCLAVE





Horizontal Autoclave (Cylindrical)



Vertical Autoclave (Deluxe)



Hi-Pressure Double Drum Autoclave Size: 12 X 22, 16 X 24



OM SURGICAL ELECTRO MEDICAL EQUIPMENT



COMPANY

OM SURGICAL

Sonata Ventilator (Nidek)

- Display : 6.5" Colour LCD
- Adult- Paediatric (>5 kg)
- Invasive & Non Invasive
- Inspiratory & Expiratory Hold
- Lung Protective Ventilation
- Compact
- Economical
 In-built battery backup



OM SURGICAL

Pulse Oximeter with NIBP

- 2.8" Height brightness TFT LCD display.
- · High brightness LED display of NIBP, SpO2 and pulse rate.
- Memory : Built-in flash memory.
- . Up to 2000 groups NIBP data storage and SpO2n data upto 48 hours.
- · Visual and Audio Alarms, adjustable,
- Audio volume adjustable.
- Built In rechargeable Li-Polimer



OM SURGICAL

Multi Parameter Patient Monitor 5 Para

- · 12.1" Colour TFT LCD display with
- · Waveforms upto 8 channels.
- Portable, stremline handle design.
- Monitor measures from Audio to Neonates.
- · Graphic and tabular Trend for 96 hours for all parameters.
- · Multi Screen format.
- · Audible and Visual alarms with adjustable alarm ranges.
- Powerful data management and storage capacity.
- Manual or Automatic NIBP measuring.
- with 500 unit memory.
- Rechargeable battery backup.
- · Weight : 4.5kg approx.



OM SURGICAL

Fetal Monitor CTG Machine

- 7" wide TFT color LCD Display.
- · Upto 150 patients data saving.
- · Fetal heart sound play and record in PC.
- · Rotating Screen.
- · Multiple language support.
- · Built-in quick guide (LCD Type).
- · Waterproof probe.

OM SURGICAL

COMPANY

ELECTRO MEDICAL EQUIPMENT



OM SURGICAL

Syringe Pump

- Freely Stackable : User can freely stack one syringe pump onto another another to provide multiple Solutions, which have a wide range of clinical applications.
- Transfer the message between the Nurse-call system and the pumps.
- · Three working modes : rate mode, time-volume mode, dosage-weight mode.
- Unique Human Voice Alarm system and accurate injection rate make the injection process safer and more reliable.
- Have store many brands syringes, Automatically calibration and compatible with any brand of syringes.
- · Large LCD screen displays working stauts.
- . KVO and Bolus functions.

Resmed Medical Equipment



OM SURGICAL

Bipap / Cpap (Resmed)

Suitable for adult and paediatric patients (over 13kg.) VPAP S and VPAP ST come packed with a range of trusted features and technologies-enhanced on ResMed's new design and technology device platform to improve patient comfort and therapy outcomes.

Climate control is delivered through the seamless integration of the VPAP device, the H5ith Heated Humidilier and the ClimateLine^{Avittel} tube

Easy setup and patient monitoring

From setup to therapy management and monitoring, getting started on the VPAP S and VPAP ST is easy and intuitive.

Pressure range	1	IPAP: 4-25cm H2O	Air Filter	323	Electrostatic fibre mesh
		EPAP: 2-25 cm H2	Air outlet		22 mm taper, compatible with
TiControl	á.,	Ti Max 0.1-4 Sec			ISO 5356-1:2004
		Ti Min 0, 1-Ti Max	IEC 60601-1	(2)	Class II (double insulation) Type
Rise Time	1	Min, 150-900 msec (approx.)	Classification		BF continuous operation
Dimensions(LxWxH)	61	153 x 140 x 86mm	Power Supply	(4)	90W power supply unit
Weight	4	0.83 kg			AC 100-24V 50-60Hz, 2.2 A
Trigger	3	Five settings			AC 110V 400Hz, 2.2A
Cycle	à.	Five settings			90W DC/DC converter 12, 24V

Technical Specification

COMPANY

OM SURGICAL PHILIPS MEDICAL EQUIPMENT



OM SURGICAL

BI-PAP Mask

Product Description:

Leveraging on our in-depth industrial knowledge, we are betrothed in providing better quality collection of Bipap Mask. Superb quality materials and high-tech machines are utilized by our vendors' skilful professionals to manufacture the whole range of these masks. Our quality examiners thoroughly inspect these masks against diverse parameters of quality to ensure their excellence and optimum quality.

Features:

· Highly comfortable · Soft texture · Utmost quality

OM SURGICAL

Philips Auto C-PAP

Performance

Our main objective is to provide performance for treatment efficacy. While Bipap AVAPS features clinically proven AVAPS (Average Volume Assured Pressure Support.) hybrid ventilation, both BIPAP S/T and BIPAP AVAPS come with the well-known Philips Respironics algorithm. Digital Auto-TRAK, to ensure optimised patient/ventilator synchrnisation.

Simplicity

Small, light and quiet, the BIPAP S/T and BIPAP AVAPS have an intuitive interface to simplify access to the ventilation settings.

As both devices come with an expertly designed water chamber and Dry Box technology, water ingress problems are avoided.



OM SURGICAL

Philips Bi-PAP-AVAPS & Humidifier

System One Humidity Control closely monitors room temperature, room humidity and flow to determine what is required to maintain the patient-selected humidity level-reducing rainout, even in changing environmental conditions.

Through a combination of our cleverly designed water chamber, plus the advanced new 'Dry Box' addition, the risk of water ingress into the device is virtually eliminated.



OM SURGICAL

Oxygen Concentrator Model Everflow

Dimensions : 58.4 cm H x 38.1 cm W x 24.1 cm D (23" H x 15" W x 9.5" D) Input Voltage : 120 +/- 10% VAC : 350 W Average Power Consumption : 60 Hz Input Frequency Oxygen concentration* :93 +/-3% (at5LPM) Liter Flow : 0.5-51/min Outlet Pressure :5.5 PSI Weight :14(31)kg(lbs) Sound level : 45 (typical) dB : 12°C to 32°C/55°F to 90°F Operating Temperature Storage/Transport Humidity: -34°C to 71°C (-30°F to 160°F) up to 95% relative humidity



BPL ELECTRO MEDICAL EQUIPMENT



OM SURGICAL

COMPANY



OM SURGICAL EMERGENCY EQUIPMENTS



U OM SURGICAL Model Stretcher Single / Two / Four Fold OM SURGICAL Model Wheel Chair Stretcher with Varied Position





HOLLOWARE



OM SURGICAL Instrument Trays With Cover S.S. Various Size



OM SURGICAL Dressing Drum SS Various Sizes



Kidney Tray S.S.



Lotion Bowls S.S.



OM SURGICAL Bedpan Female SS With Cover



Urinal Male & Female SS



Sterilizers Electric Various Sizes With Tray Lifting & Thermostate



OM SURGICAL Formalin Chamber (with Three Trays) (A) 20"x8" x 8" (B) 23" x 8" x 8" (C) 26" x 8" x 8" (D) 30" x 12" x 12"



OM SURGICAL Catheter Tray SS



SUCTION , ANAETHESIA MACHINE



OM SURGICAL Electric Suction Unit SS Top 1/4 H.P.



OM SURGICAL Foot Suction Manual Unit



OM SURGICAL Portable Phlegm Suction



Anaesthesia Machine

OM SURGICAL WHEEL CHAIR, STICKS







Wheel Chair Folding Imported Recliner Curn Bed



GENERAL ITEMS



OM SURGICAL

Horozen X-Ray (Init In 200/300/500 MA.




OM SURGICAL

In 60/100 MA.

Vertical X-Ray Unit Portable

OM SURGICAL COMPANY

GENERAL ITEMS



LED X-ray View Box A-For one film, B-For two film C-For three film, D-For four film







OM SURGICAL Finger Tip Pulse Oximeter






OM SURGICAL GENERAL INSTRUMENTS

COMPANY



GENERAL INSTRUMENTS




OM SURGICAL


COMPANY

OM SURGICAL GENERAL INSTRUMENTS

COMPANY




OM SURGICAL E.N.T INSTRUMENTS





SURGICAL CLOTHS



OM SURGICAL

COMPANY

OM SURGICAL CO. 1571-A, BHAGIRATH PALACE, CHANDNI CHOWK NEW DELHI, INDIA